



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIBDATASHEET

CONFIRMATION NO. 2533

Bib Data Sheet

| | | | | |
|-----------------------------|---------------------------------------|--------------|------------------------|---|
| SERIAL NUMBER 10/688,036 | FILING DATE 10/16/2003 RULE | CLASS 119 | GROUP ART UNIT 3644 | ATTORNEY DOCKET NO. 5576.1 413471/021 |
|-----------------------------|---------------------------------------|--------------|------------------------|---|

APPLICANTS

Stan A. Brown, Hanford, CA;

Rafael Antonio Fematt, Torreon, MEXICO;

Robert C. Borchert, Rio Rancho, NM; Victor Manuel Viesca, Torreon, MEXICO;

** CONTINUING DATA *****

This application is a DIV of 09/782,849 02/13/2001 PAT 6,722,208

** FOREIGN APPLICATIONS *****

IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** SMALL ENTITY **

** 01/15/2004

| | | | | |
|--|----------|---------|--------|-------------|
| Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no | STATE OR | SHEETS | TOTAL | INDEPENDENT |
| 35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance | COUNTRY | DRAWING | CLAIMS | CLAIMS |
| Verified and Acknowledged Examiner's Signature: <i>[Signature]</i> Initials: <i>[Initials]</i> | CA | 9 | 14 | 5 |

ADDRESS

Daniel J. Meaney, Jr.
 Post Office Box 22307
 Santa Barbara, CA
 93121

TITLE

Milk flow meter for a milking system having a substantially stable vacuum level and method for using same

| | | |
|------------|---|--|
| FILING FEE | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | <input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) |
| RECEIVED | | |